

Editorial

<http://dx.doi.org/10.111646/zootaxa.3995.1.3>
<http://zoobank.org/urn:lsid:zoobank.org:pub:2A9AC1DE-BCCE-47F8-9CA3-95FF32AA622D>

Foreword

TAMMY HORTON¹, MAGDALENA BŁAŻEWICZ-PASZKOWYCZ², DAVID A. STAPLES³ & GRAHAM J. BIRD⁴

¹National Oceanography Centre, Southampton, European Way, Southampton SO14 3ZH, UK. E-mail: tammy.horton@noc.ac.uk

²Department of Polar Biology and Oceanobiology, University of Łódź, Banacha 12/16, 90-237 Łódź, Poland.

E-mail: magdab@biol.uni.lodz.pl

³Museum Victoria, GPO Box 666, Melbourne, Victoria, 2001, Australia. Email: dstaples@museum.vic.gov.au

⁴Independent, Kāpiti, New Zealand. Email: zeuxo@clear.net.nz

This special issue honours the life and work of Roger Bamber, who made an outstanding contribution to the field of marine biology and taxonomy. Roger died in February 2015 at the age of 65, from complications arising from severe motor neuron disease (Amyotrophic lateral sclerosis). This was a tragic loss for his former wife Jane, family and all who knew him.

The editors chose Zootaxa for this special issue since Roger had considerable involvement with the journal over many years as subject editor for the Pycnogonida, Tanaidacea and Cumacea. We are grateful to Zhi-Qiang Zhang, Editor-in-Chief of Zootaxa, for making this possible.

This issue, which attracted a total of 20 papers from 44 authors, is testimony to Roger's influence and popularity both as a scientist and the personal friendships he made throughout his distinguished career. The contributing authors are based in Australia, Belgium, China, Germany, Japan, New Zealand, Norway, Poland, Portugal, Spain, U.S.A and the UK; but include only a few of his many international colleagues and friends. Of the 29 new taxa described, 27 are named in honour of Roger (Table 1), 14 of which are eponymous, and two for Roni Robbins, his partner at ARTOO Marine Biology Consultants. These add to the eight other taxa named previously for Roger (Table 2).

The editors are grateful to all who made this special issue possible, particularly Tammy Horton and the authors and peer reviewers whose dedication and attention to detail make this publication a fitting recognition of Roger's legacy.



PLATE 1. Roger N. Bamber, at the Porcupine Marine Natural History Society Annual Dinner, 2010. Courtesy of Sue Hamilton.

TABLE 1. New genera and species in this volume.

Group	Species	Authors
Polychaeta	<i>Antonbruunia sociabilis</i> sp. nov.	Mackie, Oliver & Nygen
Pycnogonida	<i>Cheilopallene bamberi</i> sp. nov.	Staples
Pycnogonida	<i>Cheilopallene ogasawarensis</i> sp. nov.	Nakamura & Akiyama
Pycnogonida	<i>Pycnogonum bamberi</i> sp. nov.	Munilla, Murillo & Soler-Membrives
Pycnogonida	<i>Sericosura bamberi</i> sp. nov.	Arango & Linse
Pycnogonida	<i>S. dimorpha</i> sp. nov.	Arango & Linse
Pycnogonida	<i>S. curva</i> sp. nov.	Arango & Linse
Amphipoda	<i>Nicippe rogeri</i> sp. nov.	Lörz & Schnabel
Amphipoda	<i>Haptocallisoma lemarete</i> gen. et sp. nov.	Horton & Thurston
Amphipoda	<i>Paracallisoma idioxenos</i> sp. nov.	Horton & Thurston
Amphipoda	<i>Pseudocallisoma</i> gen. nov.	Horton & Thurston
Amphipoda	<i>Waldeckia bamberi</i> sp. nov.	Lowry & Kilgallen
Cumacea	<i>Platycuma bamberconfabulorum</i> sp. nov.	Gerken & Watling
Tanaidacea	<i>Bathyleptocheilia chingilingi</i> sp. nov.	Stępień & Jakiel
Tanaidacea	<i>Cacoheterotanais rogerbamberi</i> sp. nov.	Morales-Núñez & Heard
Tanaidacea	<i>Calozodion pabisi</i> sp. nov.	Jakiel & Jóźwiak
Tanaidacea	<i>Cryptocopoides obaloba</i> sp. nov.	Jóźwiak & Błażewicz-Paszkowycz
Tanaidacea	<i>Indoapseudes bamberi</i> sp. nov.	Kakui & Naruse
Tanaidacea	<i>Macrolabrum maui</i> sp. nov.	Bird & Webber
Tanaidacea	<i>Pseudotanais artoo</i> sp. nov.	Błażewicz-Paszkowycz & Stępień
Tanaidacea	<i>Tanaissus bamberi</i> sp. nov.	Esquete, Rubal, Veiga & Troncoso
Decapoda	<i>Heardaxius rogerbamberi</i> sp. nov.	Poore
Decapoda	<i>Munidopsis bamberi</i> sp. nov.	Schnabel & Ahyong
Decapoda	<i>Munidopsis sculpo</i> sp. nov.	Schnabel & Ahyong
Bivalvia	<i>Parathyasira bamberi</i> sp. nov.	Oliver
Holothuroidea	<i>Sigmodota magdarogera</i> sp. nov.	O'Loughlin, Mackenzie, VandenSpiegel, & Griffiths
Holothuroidea	<i>Taeniogyrus bamberi</i> sp. nov.	O'Loughlin, Mackenzie, VandenSpiegel, & Griffiths
Holothuroidea	<i>Prototrochus roniae</i> sp. nov.	O'Loughlin & Macintosh
Holothuroidea	<i>Prototrochus Robbinsae</i> sp. nov.	O'Loughlin & Macintosh

TABLE 2. New genera and species previously named in honour of Roger Bamber.

Group	Taxon	Authority
Pycnogonida	<i>Bamberene dorsospina</i> (Clark, 1963)	Staples, 2014
Pycnogonida	<i>Austrodecus bamberi</i>	Wang, Huang, Lin & Zheng, 2013
Ostracoda	<i>Cypridopsis bamberi</i>	Henderson, 1986
Tanaidacea	<i>Bamberus jinigudirus</i>	Stępień & Błażewicz-Paszkowycz, 2013
Tanaidacea	<i>Chauliopleona bamberi</i>	Bird, 2015
Tanaidacea	<i>Kalliapseudes bamberi</i>	Drumm & Heard, 2011
Tanaidacea	<i>Leptognathia bamberi</i>	Larsen & Shimomura, 2007
Tanaidacea	<i>Makassaritanais bamberi</i>	Guțu, 2012

References (and in following biography)

- Bamber, R.N. (1992) Some pycnogonids from the South China Sea. *Asian Marine Biology*, 9. Available from: <http://www.lib.hku.hk/Press/962209323X.pdf> (accessed 30 July 2015)
- Bird, G.J. (2015) Tanaidacea (Crustacea: Peracarida) of the northeast Atlantic: *Chauliopleona Dojiri* and Sieg, 1997 and *Saurotipleona* n. gen. from the 'Atlantic Margin'. *Journal of Natural History*, 1–41.
- Drumm, D.T. & Heard, R.W. (2011) Systematic revision of the Kalliapseudidae (Crustacea, Tanaidacea). *Zootaxa*, 3142, 1–172.
- Guçu, M. (2012) A new subgenus and two new Indo-West-Pacific species of the leptocheliid genus *Pseudonototanais* Lang, 1973 (Crustacea: Tanaidacea: Tanaidomorpha). *Travaux du Museum National d'Histoire Naturelle "Grigore Antipa"*, 55 (1), 27–40.
<http://dx.doi.org/10.2478/v10191-012-0003-0>
- Henderson, P.A. (1986) *Cypridopsis bamberi* sp. nov., a new species of ostracod (Crustacea: Podocopida) from England. *Journal of Natural History*, 20 (1), 1–5.
<http://dx.doi.org/10.1080/00222938600770011>
- Larsen, K. & Shimomura, M. (2007) Tanaidacea (Crustacea: Peracarida) from Japan. II. Tanaidomorpha from the East China Sea, the West Pacific Ocean and the Nansei Islands. *Zootaxa*, 1464, 1–43.
- Stępień, A. & Błażewicz-Paszkowycz, M. (2013) Four new species and two new genera of Metapseudidae (Crustacea: Tanaidacea: Apseudomorpha) from Australian coral reefs. *Zootaxa*, 3717 (4), 559–592.
<http://dx.doi.org/10.11646/zootaxa.3717.4.7>
- Staples, D.A. (2014) A reassessment of the Pycnogonid Genus *Stylopallene* (Arthropoda, Callipallenidae) with description of a new genus. *Memoirs of the Museum of Victoria*, 72, 121–129.
- Wang, J-H., Huang, D-Y., Lin, R-C. & Zheng, X-Q. (2013) A new species of *Austrodecus* Hodgson, 1907 (Arthropoda, Pycnogonida, Austrodecidae) from the Southwest Indian Ridge. *Zookeys*, 349, 73–79.
<http://dx.doi.org/10.3897/zookeys.349.6170>

Roger Norman Bamber (1949–2015)

Roger was born on the 1st September 1949 in Lewisham, to Frank and Ethel Bamber. He was brother to Les and Anice and grew up in Catford, South London. He was educated at Haberdashers' Aske's Boys' School, where his interest in the natural world was sparked and encouraged. He always remembered a particularly good botany teacher who inspired him to achieve high marks, yet his overwhelming interest was zoology.

When Roger announced to his parents that he wanted to go to university to study zoology, he found they were unable to support him, so he embarked on a short yet varied career outside the world of science. He became a "ganger" on a building site but was dismissed for bad time-keeping. He then found a job as a salesman in the first MFI showroom in Balham, where he excelled at selling cheap flat-pack furniture. Before long, Roger was given the chance to manage the new MFI superstore in Southampton, but to the shock of his employers he declined, and accepted an offer of a place at Newcastle University to study Zoology.

Roger graduated in 1974 with First Class Honours and a passion for marine biology, nurtured whilst working at the Dove Marine Laboratory. Roger stayed at Newcastle to undertake his doctoral studies on '*The effects of dumped pulverised fuel ash on the benthic fauna of the Northumberland coast*' under the tutelage of Frank Evans. He completed his PhD in 1978, having also published his first scientific paper in 1977. So began a lifelong interest in the marine environment, and an eclectic career that saw him leave an indelible mark in many fields.

During and directly following his PhD, Roger curated the freshwater bivalve collection at the Tyne-and-Wear Museums Service, then in 1978 he joined the Central Electricity Generating Board (thence National Power plc; now RWE power) as a Research Officer at the Marine Biology Unit, where he stayed for 14 years. Here, Roger was able to pursue his interest in the interactions between the marine environment and power generation. In 1992, Roger became Director of Fawley Aquatic Research Laboratories Ltd, where he was in charge of marine ecological studies, invertebrate biology and taxonomy, environmental impact assessment, creative conservation, and marketing and publicity.

In May 1998, Roger was appointed Consultancy Leader (Environment: Coastal and Marine) at The Natural History Museum, London, where he worked for ten years; afterwards, he remained as a Scientific Associate of the Zoology Department. Increasingly, his role at the Museum involved earning commercial income, both for the Zoology department and the Museum, yet he was determined to study his beloved beasts and, working indefatigably in his spare time, he established a prolific publication record. Roger was very proud of what he

achieved at the Natural History Museum but, increasingly frustrated by the internal politics and administration, he eventually took the decision to resign. He briefly joined Jacobs Environmental, then in 2008 established ARTOO Marine Biology Consultants with Roni Robbins, his close friend and ally. Both Roger and Roni enjoyed the freedom this provided and they worked very happily together.

Roger's interests were incredibly diverse—from benthic marine and estuarine community ecology, to marine invertebrate biology and life history, marine zoogeography, South China Sea cave fauna, and marine meiofauna. He was fascinated by population parasitology, atherinid biology, coastal saline lagoons, environmental impact assessment, ecophysiology and ecotoxicology, marine pollution, and commercial fouling. All resulted in peer reviewed scientific publications; he published a total of 218 scientific papers in his lifetime (see below) and wrote many hundreds of reports, non-peer reviewed papers, and articles.

Roger is probably best known in taxonomic circles for his work on both pycnogonids and tanaidaceans. His first paper in 1979 was on the Pycnogonida (or ‘pycnobeasts’ as he always referred to them), and described a new species of *Endeis* from West Africa. His love of the Pycnogonida was enduring - forty-six papers followed—and he established an order, a family, a subfamily, a genus and 42 species new to science. With Aliya El Nager, he established ‘PycnoBase’, a fitting legacy of his contribution to pycnogonid systematics, since it represents the foundations for all future work in the field. Roger was particularly proud of his 2010 book ‘*Sea-spiders (Pycnogonida) of the Northeast Atlantic. Keys and notes to the identification of species*’, published by the Linnean Society. Yet, according to his colleague, Judith C. Price, Roger said that if all the pycnogonids on Earth were to vanish, he would be one of only five organisms left who ‘gave a damn’ (Judith added that she will be one of the very many who give a damn that Roger has vanished).

His second love was perhaps the Tanaidacea, and he always regretted that he began to work on them relatively late in his career. His first paper on tanaidaceans, on the fauna of the Cullercoats district, was published in 1986, yet his first taxonomic work on this group was not published until 1990. That paper, which described a new species of *Zeuxo* from the French Atlantic Coast, was followed by an astonishing series of publications. In all, Roger described two families, three subfamilies, 42 genera, one subgenus and 229 tanaidacean species. Roger’s eclecticism was also extraordinary; he authored or co-authored papers on seven isopod species, two amphipod species, one leptostracan, six mysids, one bochusacean, two copepod taxa (including a new genus) and three polychaete taxa (including a new genus). Roger described species from shallow and intertidal waters to the deep sea, and he established 346 taxa.

Roger was also an inspiring teacher; from 1990 to 2004 he was a visiting lecturer at Dove Marine Laboratory, University of Newcastle-upon-Tyne, and he supervised many doctoral students. Working tirelessly on various editorial boards (see below), Roger willingly gave guidance and advice to novice taxonomists. He was a celebrated pedant, always ready to correct a grammatical injustice and known to carry a red pen in his top pocket for such occasions as might arise. Roger also provided valuable input to the World Register of Deep-Sea Species (WoRDSS) and was an integral member of the Porcupine Marine Natural History Society, working as the Hon. Editor of the *Porcupine Newsletter*. Roger is reputed to have attended every meeting of the Porcupine Marine Natural History Society since its inception in 1976.

Roger’s passion was the natural history of marine organisms and morphological taxonomy, and this was joyfully expressed in the many unusual and often amusing names that he gave to new taxa. He was particularly proud of *Tanystylum sinoabductus* Bamber, 1992, a species of pycnogonid from the South China Sea - and thus a ‘Chinese takeaway’ - although the etymology in this case modestly reads: “The name for this species, unique in being the first to be described from Hong Kong, is from the Latin, meaning that which is taken from China”. In 2005, Roger published a collection of descriptions of tanaidaceans from Western Australia, and he named them after characters in one of Terry Pratchett’s ‘Discworld’ novels, ‘*The Last Continent*’, a place which “just happens to be a bit ... Australian”.

Roger was always great company; he was interesting, engaging, controversial, and a wonderful raconteur. He combined a first class intellect and rigorous approach to science, with an infectious and irrepressible amiability. Somehow, he also found time away from scientific work to play contract bridge and follow the Hampshire and England cricket teams. A true bon-viveur, he was always happy to crack open the beer, have a smoke, and savour good food.

Roger was an original, a true inspiration, and a superb scientist. He will continue to influence, not only because of his impressive publications, but because of the inimitable way he inspired countless acquaintances, friends, and colleagues.

Editorial roles

Journal of Natural History: guest editor.

Polish Polar Research.

Porcupine Marine Natural History Society.

World Register of Marine Species (WoRMS): PycnoBase, Tanaidacea.

Zookeys: editor of Pycnogonida.

Zootaxa: editor for Pycnogonida, Tanaidacea, and Cumacea.

Publications (date order)

1. Turner, S. & Bamber, R.N. (1977) A rare fish in the North Sea. *Transactions of the Natural History Society of Northumbria*, 42, 1–136.
2. Bamber, R.N. (1978) The effects of dumped pulverised fuel ash on the benthic fauna of the Northumberland coast. *PhD Thesis, University of Newcastle-upon-Tyne*, 150 pp.
3. Bamber, R.N. (1979) A new species of *Endeis* (Pycnogonida) from West Africa. *Zoological Journal of the Linnean Society*, 65, 251–254.
<http://dx.doi.org/10.1111/j.1096-3642.1979.tb01094.x>
4. Bamber, R.N. (1980a) British Sea Spiders by P.E. King. (Review). *Irish Naturalists Journal*, 20, 1–127.
5. Bamber, R.N. (1980b) Properties of fly ash as a marine sediment. *Marine Pollution Bulletin*, 11, 323–326.
[http://dx.doi.org/10.1016/0025-326X\(80\)90050-8](http://dx.doi.org/10.1016/0025-326X(80)90050-8)
6. Turnpenny, A.W.H., Bamber, R.N. & Henderson, P.A. (1981) Biology of the sand smelt (*Atherina presbyter* Valenciennes) around Fawley Power Station. *Journal of Fish Biology*, 18, 417–427.
<http://dx.doi.org/10.1111/j.1095-8649.1981.tb03783.x>
7. Bamber, R.N. (1982a) Sodium hexametaphosphate as an aid in benthic sample sorting. *Marine Environmental Research*, 7, 251–255.
[http://dx.doi.org/10.1016/0141-1136\(82\)90017-4](http://dx.doi.org/10.1016/0141-1136(82)90017-4)
8. Bamber, R.N. (1982b) Variation in *Nymphon brevirostre* (Hodge), and the status of *Nymphon rubrum* (Hodge) (Arthropoda, Pycnogonida). *Biological Journal of the Linnean Society*, 17, 275–288.
<http://dx.doi.org/10.1111/j.1095-8312.1982.tb02022.x>
9. Bamber, R.N. & Davis, M.H. (1982) Feeding of *Achelia echinata* Hodge (Pycnogonida) on marine algae. *Journal of experimental marine Biology and Ecology*, 60, 181–187.
[http://dx.doi.org/10.1016/0022-0981\(82\)90157-5](http://dx.doi.org/10.1016/0022-0981(82)90157-5)
10. Bamber, R.N. (1983a) Some deep water pycnogonida from the north east Atlantic. *Zoological Journal of the Linnean Society*, 77, 65–74.
<http://dx.doi.org/10.1111/j.1096-3642.1983.tb01721.x>
11. Bamber, R.N. (1983b) Pozzolanic aggregates of fly ash in the sea. *Marine Biology*, 77, 151–154.
<http://dx.doi.org/10.1007/BF00396312>
12. Bamber, R.N. (1983c) The Marine Fauna of the Cullercoats District, No.12. Pycnogonida. *Report of the Dove Marine Biology Laboratory*, (3rd Series) No. 25, 1–24.
13. Bamber, R.N., Glover, R., Henderson P.A. & Turnpenny, A.W.H. (1983) Diplostomiasis in the sand smelt, *Atherina presbyter* Cuvier, population at Fawley Power Station. *Journal of Fish Biology*, 23, 201–210.
<http://dx.doi.org/10.1111/j.1095-8649.1983.tb02895.x>
14. Dempsey, C.H. & Bamber, R.N. (1983) Spawning of herring (*Clupea harengus* L.) in the Blackwater Estuary, Spring 1979. *Journal du Conseil International pour l'Exploration de la Mer*, 41, 85–92.
<http://dx.doi.org/10.1093/icesjms/41.1.85>
15. Evans, N.A., Whitfield, P.J., Bamber, R.N. & Espin, P.M. (1983) *Lernaeocera lusci* (Copepoda: Pennellidae) on bib (*Trisopterus luscus*) from Southampton Water. *Parasitology*, 86, 161–173.
<http://dx.doi.org/10.1017/S0031182000057267>
16. Henderson, P.A. & Bamber, R.N. (1983) A new species of mysid (Crustacea: Mysidacea) from the Amazon Basin. *Journal of Natural History*, 17, 139–143.
<http://dx.doi.org/10.1080/00222938300770121>
17. Turnpenny, A.W.H. & Bamber, R.N. (1983) The critical swimming speed of the sand smelt (*Atherina presbyter* Cuvier) in relation to capture at a power station cooling water intake. *Journal of Fish Biology*, 23, 65–73.
<http://dx.doi.org/10.1111/j.1095-8649.1983.tb02882.x>
18. Bamber, R.N. (1984a) The benthos of a marine fly ash dumping ground. *Journal of the Marine Biological Association of the United Kingdom*, 64, 211–226.
<http://dx.doi.org/10.1017/S0025315400059737>
19. Bamber, R.N. (1984b) The utilisation of fly ash by two tube-building polychaetes. *Journal of experimental marine Biology*

- and Ecology*, 81, 107–113.
[http://dx.doi.org/10.1016/0022-0981\(84\)90001-7](http://dx.doi.org/10.1016/0022-0981(84)90001-7)
20. Bamber, R.N. & Spencer, J.F. (1984) The benthos of a coastal power station thermal discharge canal. *Journal of the Marine Biological Association of the United Kingdom*, 64, 603–623.
<http://dx.doi.org/10.1017/S0025315400030290>
 21. Henderson, P.A., Turnpenny, A.W.H. & Bamber, R.N. (1984) Long term stability of a sand smelt (*Atherina presbyter* Cuvier) population subject to power station cropping. *Journal of Applied Ecology*, 21, 1–10.
<http://dx.doi.org/10.2307/2403034>
 22. Bamber, R.N. (1985a) A second *Pallenopsis mollissima* (Hoek), with other deep water pycnogonids from the Glasgow Museum. *Zoological Journal of the Linnean Society*, 83, 301–306.
<http://dx.doi.org/10.1111/j.1096-3642.1985.tb01177.x>
 23. Bamber, R.N. (1985b) The intinerant [sic] pycnogonid *Ammothea hilgendorfi* (Böhm) in British waters. *Proceedings of the Hampshire Field Club and Archaeological Society*, 41, 269–270.
 24. Bamber, R.N. (1985c) The autecology of *Cyathura carinata* (Kroyer) (Crustacea: Isopoda) in a cooling water discharge lagoon. *Journal of the Marine Biological Association of the United Kingdom*, 65, 181–194.
<http://dx.doi.org/10.1017/S0025315400060896>
 25. Bamber, R.N. (1985d) The Marine Fauna of the Cullercoats District, No.15. Acari. *Report of the Dove Marine Biology Laboratory*, (3rd Series), 28, 1–50.
 26. Bamber, R.N. & Henderson, P.A. (1985a) Diplostomiasis in the sand smelt (*Atherina presbyter* Cuvier) from the Fleet, Dorset, and its use as a population indicator. *Journal of Fish Biology*, 26, 223–229.
<http://dx.doi.org/10.1111/j.1095-8649.1985.tb04260.x>
 27. Bamber, R.N. & Henderson, P.A. (1985b) Morphological variation in British atherinids, and the status of *Atherina presbyter* Cuvier (Pisces: Atherinidae). *Biological Journal of the Linnean Society*, 25, 61–76.
<http://dx.doi.org/10.1111/j.1095-8312.1985.tb00386.x>
 28. Bamber, R.N., Henderson, P.A. & Turnpenny, A.W.H. (1985) The early life history of the sand smelt (*Atherina presbyter* Cuvier). *Journal of the Marine Biological Association of the United Kingdom*, 65, 697–706.
<http://dx.doi.org/10.1017/S002531540005253X>
 29. Bamber, R.N. (1986a) The Marine Fauna of the Cullercoats District, No.19. Mysidacea. *Report of the Dove Marine Biology Laboratory*, (3rd Series) 32, 1–25.
 30. Bamber, R.N. (1986b) The Marine Fauna of the Cullercoats District, 20. Tanaidacea. *Report of the Dove Marine Biology Laboratory*, (3rd Series) 33, 1–14.
 31. Bamber, R.N. (1987a) The biology of the North-American ostracod *Sarsiella zostericola* in the vicinity of a British power station. *Journal of Micropalaeontology*, 6, 57–62.
<http://dx.doi.org/10.1144/jm.6.1.57>
 32. Bamber, R.N. (1987b) The effects of acidic sea-water on young carpet-shell clams, *Venerupis decussata* (L.) (Mollusca, Veneraceae). *Journal of experimental marine Biology and Ecology*, 108, 241–260.
[http://dx.doi.org/10.1016/0022-0981\(87\)90088-8](http://dx.doi.org/10.1016/0022-0981(87)90088-8)
 33. Bamber, R.N. (1987c) Long-term changes in coastal benthic communities, Edited by C. Heip, B.F. Keegan & J.R. Lewis. (Review). *Journal of Fish Biology*, 31, 298–299.
 34. Bamber, R.N., McQuitty, M. & Connor, D.W. (1987) Chelicerata. In: Howson, C. M. (Ed.), *Directory of the British marine fauna and flora. A coded checklist of the marine fauna and flora of the British Isles and its surrounding seas*. Marine Conservation Society, Ross-on-Wye, pp. 124–128.
 35. Arnaud, F. & Bamber, R.N. (1987) The biology of Pycnogonida. *Advances in Marine Biology*, 24, 1–96.
[http://dx.doi.org/10.1016/S0065-2881\(08\)60073-5](http://dx.doi.org/10.1016/S0065-2881(08)60073-5)
 36. Henderson, P.A. & Bamber, R.N. (1987a) The rediscovery and redescription of the freshwater ostracod *Candonopsis scourfieldi* Brady, 1910 (Ostracoda: Podocopida). *Journal of Natural History*, 22, 465–471.
<http://dx.doi.org/10.1080/00222938800770321>
 37. Henderson, P.A. & Bamber, R.N. (1987a) On the reproductive biology of the sand smelt *Atherina boyeri* Risso (Pisces: Atherinidae) and its evolutionary potential. *Biological Journal of the Linnean Society*, 32, 395–415.
<http://dx.doi.org/10.1111/j.1095-8312.1987.tb00440.x>
 38. Bamber, R.N. & Henderson, P.A. (1988) Pre-adaptive plasticity in atherinids and the estuarine seat of teleost evolution. *Journal of Fish Biology*, 33 (Supplement A), 17–23.
<http://dx.doi.org/10.1111/j.1095-8649.1988.tb05554.x>
 39. Garwood, P.A. & Bamber, R.N. (1988) A new genus and species of capitellid polychaete from northeast England. *Ophelia*, 29, 119–126.
<http://dx.doi.org/10.1080/00785326.1988.10430823>
 40. Henderson, P.A., Holmes, R.H.A. & Bamber, R.N. (1988) Size-selective overwintering mortality in the fish *Atherina boyeri* Risso and its role in population regulation. *Journal of Fish Biology*, 33, 221–233.
<http://dx.doi.org/10.1111/j.1095-8649.1988.tb05465.x>
 41. Bamber, R.N. (1989) Kinorhyncha. In: The Marine Fauna of the Cullercoats District, No.25. Hirudinea and Kinorhyncha. *Report of the Dove Marine Biology Laboratory*, (3rd Series) 38, 1–10.

42. Bamber, R.N. (1990a) Colonization and selection of fly-ash substrates by marine invertebrates. *Chemistry in Ecology*, 4, 235–246.
<http://dx.doi.org/10.1080/02757549008035238>
43. Bamber, R.N. (1990b) Power station thermal effluents and marine crustaceans. *Journal of Thermal Biology*, 15 (1), 91–96.
[http://dx.doi.org/10.1016/0306-4565\(90\)90054-L](http://dx.doi.org/10.1016/0306-4565(90)90054-L)
44. Bamber, R.N. (1990c) Environmental impact assessment: the example of marine biology and the UK power industry. *Marine Pollution Bulletin*, 21, 270–274.
[http://dx.doi.org/10.1016/0025-326X\(90\)90588-Y](http://dx.doi.org/10.1016/0025-326X(90)90588-Y)
45. Bamber, R.N. (1990d) A new species of *Zeuxo* (Crustacea: Tanaidacea) from the French Atlantic coast. *Journal of Natural History*, 24, 1587–1596.
<http://dx.doi.org/10.1080/00222939000770911>
46. Bamber, R.N. & Henderson, P.A. (1990) A new freshwater mysid from the Amazon, with a reassessment of *Surinamysis* Bowman (Crustacea: Mysidacea). *Zoological Journal of the Linnean Society*, 100, 393–401.
<http://dx.doi.org/10.1111/j.1096-3642.1990.tb01867.x>
47. Bamber, R.N. (1991) The effects of acidic sea-water on three species of lamellibranch mollusc. *Journal of experimental marine Biology and Ecology*, 143, 181–191.
[http://dx.doi.org/10.1016/0022-0981\(90\)90069-O](http://dx.doi.org/10.1016/0022-0981(90)90069-O)
48. Bamber, R.N., Batten, S.D. & Bridgwater, N.D. (1991) The brackish ponds at Killingholme. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 1, 173–181.
<http://dx.doi.org/10.1002/aqc.3270010206>
49. Bamber, R.N. (1992a) Thermal Discharges. *Ecological Effects of Thermal Discharges* by T.H.E. Langford; Elsevier Applied Science. (Review). *Marine Pollution Bulletin*, 24 (2), 118–119.
[http://dx.doi.org/10.1016/0025-326X\(92\)90742-O](http://dx.doi.org/10.1016/0025-326X(92)90742-O)
50. Bamber, R.N. (1992b) Time, tide and Calshot Beach. (Abstract). *ECSA Bulletin*, 10, 14.
51. Bamber, R.N., Batten, S.D., Shearer, M. & Bridgwater, N.D. (1992) On the ecology of brackish water lagoons in Great Britain. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 2, 65–94.
<http://dx.doi.org/10.1002/aqc.3270020105>
52. Bamber, R.N. (1993a) Some pycnogonids from the South China Sea. *Asian Marine Biology*, 9, 193–203.
53. Bamber, R.N. (1993b) A new species of *Kalliapseudes* (Crustacea: Tanaidacea: Kalliapseudidae) from Trinidad. *Proceedings of the Biological Society of Washington*, 106 (1), 122–130.
54. Bamber, R.N. (1993c) Changes in the infauna of a sandy beach. *Journal of experimental marine Biology and Ecology*, 172, 93–107.
[http://dx.doi.org/10.1016/0022-0981\(93\)90091-2](http://dx.doi.org/10.1016/0022-0981(93)90091-2)
55. Bamber, R.N. (1993d) Mysidacea. In: 1993 McGraw-Hill Yearbook of Science & Technology, McGraw-Hill Book Co., New York, pp. 250–253.
56. Bamber, R.N. (1993e) The structuring of a sandy beach community by *Nephtys cirrosa* Ehlers. *Polychaete Research*, 16, 37–40.
57. Bamber, R.N. & Thurston, M.H. (1993) Deep water pycnogonids of the Cape Verde Slope. *Journal of the Marine Biological Association of the United Kingdom*, 73, 837–861.
<http://dx.doi.org/10.1017/S0025315400034767>
58. Bamber, R.N., Batten, S.D. & Bridgwater, N.D. (1993) Design criteria for the creation of brackish lagoons. *Biodiversity and Conservation*, 2, 127–137.
<http://dx.doi.org/10.1007/BF00056129>
59. Bamber, R.N. & Henderson, P.A. (1994) Seasonality of caridean decapod and mysid distribution and movements within the Severn Estuary and Bristol Channel. *Biological Journal of the Linnean Society*, 51, 83–91.
<http://dx.doi.org/10.1111/j.1095-8312.1994.tb00946.x>
60. Bamber, R.N. & Irving, P.W. (1994) Monitoring the growth of *Sabellaria alveolata* in the field. *Mémoires du Muséum National d'Histoire Naturelle*, 162, 612–613.
61. Bamber, R.N., Seaby, R.M.H., Fleming, J.M. & Taylor, C.J.L. (1994) The effects of entrainment passage on embryonic development of the Pacific oyster *Crassostrea gigas*. *Nuclear Energy*, 33 (6), 353–357.
62. Bamber, R.N. (1995a) The influence of rising background temperature on the effects of marine thermal effluents. *Journal of Thermal Biology*, 20, 105–110.
[http://dx.doi.org/10.1016/0306-4565\(94\)00038-K](http://dx.doi.org/10.1016/0306-4565(94)00038-K)
63. Bamber, R.N. (1995b) A new species of *Pycnogonum* Brünnich (Arthropoda, Pycnogonida) with other pycnogonid records from the Falkland and South Shetland Islands. *Ophelia*, 40 (3), 109–205.
<http://dx.doi.org/10.1080/00785326.1995.10430585>
64. Bamber, R.N. (1995c) 5.4 Pycnogonida. In: Mackie, A.S.Y., Oliver, P.G. & Rees, E.I.S. (Eds.), Benthic biodiversity in the southern Irish Sea. *Studies in Marine Biodiversity and Systematics from the National Museum of Wales. BIOMÔR Reports*, 1, 59–62.
65. Bamber, R.N. & Barnes, R.S.K. (1995) Chapter 3.4, Coastal Lagoons. In: Barne, J.H., Robson, C.F., Kaznowska, S.S., Davidson, N.C. & Doody, J.P. (Eds.), *Coasts and Seas of the United Kingdom. Region 5. North-east England: Berwick-on-*

- Tweed to Filey Bay*. Joint Nature Conservation Committee, Peterborough, pp. 46–47.
66. Bamber, R.N. & Barnes, R.S.K. (1995) Chapter 3.4, Coastal Lagoons. In: Barne, J.H., Robson, C.F., Kaznowska, S.S. & Davidson, N.C. (Eds.), *Coasts and Seas of the United Kingdom. Region 6. Eastern England: Flamborough Head to Great Yarmouth*. Joint Nature Conservation Committee Peterborough, pp. 1–220.
67. Bamber, R.N. & Thurston, M.H. (1995) The deep-water pycnogonids (Arthropoda: Pycnogonida) of the northeastern Atlantic Ocean. *Zoological Journal of the Linnean Society*, 115, 117–162.
<http://dx.doi.org/10.1111/j.1096-3642.1995.tb02325.x>
68. Barnes, R.S.K. & Bamber, R.N. (1995) Chapter 3.4, Coastal Lagoons. In: Barne, J.H., Robson, C.F., Kaznowska, S.S. & Doody, J.P. (Eds.), *Coasts and Seas of the United Kingdom. Region 12 Wales: Margam to Little Orme*. Joint Nature Conservation Committee, Peterborough, pp. 49–52.
69. Covey, R., Anderson, O., Bamber, R., Barnes, R., Craeymeersch J., Matthews, J., Downie, S. & Healey, B. (1995) Report of the brackish (standing waters) workshop subgroup. In: Hiscock, K. (Ed), Classification of benthic marine biotopes of the north-east Atlantic. *Proceedings of a BioMar-Life workshop held in Cambridge. 16–18 November 1994*. Joint Nature Conservation Committee, Peterborough, pp. 75–78.
70. Bamber, R.N. & Barnes, R.S.K. (1996a) Chapter 3.4, Coastal Lagoons. In: Barne, J.H., Robson, C.F., Kaznowska, S.S., Doody, J.P. & Davidson, N.C. (Eds.), *Coasts and Seas of the United Kingdom. Region 9 Southern England: Hayling Island to Lyme Regis*. Joint Nature Conservation Committee, Peterborough, pp. 49–52.
71. Bamber, R.N. & Barnes, R.S.K. (1996b) Chapter 3.4, Coastal Lagoons. In: Barne, J.H., Robson, C.F., Kaznowska, S.S., Doody, J.P., Davidson, N.C. & Buck, A.J. (Eds.), *Coasts and Seas of the United Kingdom. Region 10 South-west England: Seaton to the Roseland Peninsula*. Joint Nature Conservation Committee, Peterborough, pp. 42–43.
72. Bamber, R.N. & Barnes, R.S.K. (1996c) Chapter 3.4, Coastal Lagoons. In: Barne, J.H., Robson, C.F., Kaznowska, S.S., Doody, J.P., Davidson, N.C. & Buck, A.J. (Eds.), *Coasts and Seas of the United Kingdom. Region 11 The Western Approaches: Falmouth Bay to Kenfig*. Joint Nature Conservation Committee, Peterborough, pp. 52–53.
73. Barnes, R.S.K. & Bamber, R.N. (1996a) Chapter 3.4, Coastal Lagoons. In: Barne, J.H., Robson, C.F., Kaznowska, S.S., Doody, J.P. & Davidson, N.C. (Eds.), *Coasts and Seas of the United Kingdom. Region 13 Northern Irish Sea: Colwyn Bay to Stranraer, including the Isle of Man*. Joint Nature Conservation Committee, Peterborough, pp. 1–284.
74. Barnes, R.S.K. & Bamber, R.N. (1996b) Chapter 3.4, Coastal Lagoons. In: Barne, J.H., Robson, C.F., Kaznowska, S.S., Doody, J.P. & Davidson, N.C. (Eds.), *Coasts and Seas of the United Kingdom. Region 3 North-east Scotland: Cape Wrath to St. Cyrus*. Joint Nature Conservation Committee, Peterborough, pp. 56–57.
75. Batten, S.D. & Bamber, R.N. (1996) The effects of acidified seawater on the polychaete *Nereis virens* Sars, 1835. *Marine Pollution Bulletin*, 32 (3), 283–287.
[http://dx.doi.org/10.1016/0025-326X\(95\)00163-H](http://dx.doi.org/10.1016/0025-326X(95)00163-H)
76. Bamber, R.N. (1997a) Two pycnogonids (Arthropoda) from the Coral Sea region: a new *Callipallene* and a reassessment of the *Anoplodactylus cribellatus* complex. *Species Diversity*, 2, 43–50.
77. Bamber, R.N. (1997b) Peracarid crustaceans from Cape d'Aguilar and Hong Kong, I: Mysidacea, and Isopoda: Anthuridea. In: Morton, B. (Ed.), *The Marine Flora and Fauna of Hong Kong and Southern China IV, Proceedings of the Eighth International Workshop on the Marine Flora and Fauna of Hong Kong and Southern China, Hong Kong, 2–20 April 1995*. Hong Kong University Press, Hong Kong, pp. 77–86.
78. Bamber, R.N. (1997c) Peracarid crustaceans from Cape d'Aguilar and Hong Kong, II: Tanaidacea: Apseudomorpha. In: Morton, B. (Ed.), *The Marine Flora and Fauna of Hong Kong and Southern China IV, Proceedings of the Eighth International Workshop on the Marine Flora and Fauna of Hong Kong and Southern China, Hong Kong, 2–20 April 1995*. Hong Kong University Press, Hong Kong, pp. 87–102.
79. Bamber, R.N. (1997d) Pycnogonids (Arthropoda: Pycnogonida) of Cape d'Aguilar, Hong Kong. In: Morton, B. (Ed.), *The Marine Flora and Fauna of Hong Kong and Southern China IV, Proceedings of the Eighth International Workshop on the Marine Flora and Fauna of Hong Kong and Southern China, Hong Kong, 2–20 April 1995*. Hong Kong University Press, Hong Kong, pp. 143–157.
80. Bamber, R.N. (1997e) Kinorhyncha. In: Howson, C.M. & Picton, B.E. (Eds.), *The Species Directory of the Marine Fauna and Flora of the British Isles and Surrounding Seas*. Ulster Museum Publication No. 276. Ulster Museum and The Marine Conservation Society, Belfast and Ross-on-Wye, pp. 65–67.
81. Bamber, R.N. (1997f) Assessment of saline lagoons within Special Areas of Conservation. *English Nature Research Reports*, 235, 1–55. [7 appendices]
82. Bamber, R.N., Ariyananda, T. & Silva, E.I.L. (1997) A new genus and species of apseudomorph tanaidacean from Sri Lanka. *Asian Marine Biology*, 13, 133–140.
83. Bamber, R.N. & Bird G.J. (1997) Peracarid crustaceans from Cape d'Aguilar and Hong Kong, III: Tanaidacea: Tanaidomorpha. In: Morton, B. (Ed.), *The Marine Flora and Fauna of Hong Kong and Southern China IV, Proceedings of the Eighth International Workshop on the Marine Flora and Fauna of Hong Kong and Southern China, Hong Kong, 2–20 April 1995*. Hong Kong University Press, Hong Kong, pp. 103–142.
84. Bamber, R.N. & Irving, P.W. (1997) The differential growth of *Sabellaria alveolata* (L.) reefs at a power station outfall. *Polychaete Research*, 17, 9–14.
85. Bamber, R.N., MacQuitty, M. & Connor, D.W. (1997) Chelicerata. In: Howson, C.M. & Picton, B.E. (Eds.), *The Species Directory of the Marine Fauna and Flora of the British Isles and Surrounding Seas*. Ulster Museum Publication No. 276.

- Ulster Museum and The Marine Conservation Society, Belfast and Ross-on-Wye, pp. 147–151.
86. Barnes, R.S.K. & Bamber, R.N. (1997a) Chapter 3.4, Coastal Lagoons. In: Barne, J.H., Robson, C.F., Kaznowska, S.S., Doody, J.P., Davidson, N.C. & Buck, A.J. (Eds.), *Coasts and Seas of the United Kingdom. Region 1 Shetland*. Joint Nature Conservation Committee, Peterborough, pp. 48–50.
 87. Barnes, R.S.K. & Bamber, R.N. (1997b) Chapter 3.4, Coastal Lagoons. In: Barne, J.H., Robson, C.F., Kaznowska, S.S., Doody, J.P. & Davidson, N.C. (Eds.), *Coasts and Seas of the United Kingdom. Region 4 South-east Scotland: Montrose to Eyemouth*. Joint Nature Conservation Committee, Peterborough.
 88. Barnes, R.S.K. & Bamber, R.N. (1997c) Chapter 3.4, Coastal Lagoons. In: Barne, J.H., Robson, C.F., Kaznowska, S.S., Doody, J.P., Davidson, N.C. & Buck, A.J. (Eds.), *Coasts and Seas of the United Kingdom. Region 14 South-west Scotland: Ballantrae to Mull*. Joint Nature Conservation Committee, Peterborough, pp. 56–57.
 89. Barnes, R.S.K. & Bamber, R.N. (1997d) Chapter 3.4, Coastal Lagoons. In: Barne, J.H., Robson, C.F., Kaznowska, S.S., Doody, J.P., Davidson, N.C. & Buck, A.J. (Eds.), *Coasts and Seas of the United Kingdom. Regions 15 & 16: North-west Scotland: The Western Isles and West Highland*. Joint Nature Conservation Committee, Peterborough, pp. 65–67.
 90. Bamber, R.N. (1998a) Conservation of brackish lagoonal faunas. *Journal of Conchology Special Publication No.2*, 265–270.
 91. Bamber, R.N. (1998b) Zoogeographic trends in some Hong Kong arthropods. In: Morton, B. (Ed.), *The Marine Biology of the South China Sea. Proceedings of the Third International Conference on the Marine Biology of the South China Sea, Hong Kong, 1996*. Hong Kong University Press, Hong Kong, pp. 91–112.
 92. Bamber, R.N. (1998c) Pycnogonids (Arthropoda, Pycnogonida) from the “Grigore Antipa” National Museum’s 1991 Indonesian Expedition. *Travaux du Muséum d’Histoire Naturelle ‘Grigore Antipa’*, 40, 27–33.
 93. Bamber, R.N. & Barnes, R.S.K. (1998a) Chapter 3.4, Coastal Lagoons. In: Barne, J.H., Robson, C.F., Kaznowska, S.S., Doody, J.P., Davidson, N.C. & Buck, A.L. (Eds.), *Coasts and Seas of the United Kingdom. Region 7 South-east England: Lowestoft to Dungeness*. Joint Nature Conservation Committee, Peterborough, pp. 53–55.
 94. Bamber, R.N. & Barnes, R.S.K. (1998b) Chapter 3.4, Coastal Lagoons. In: Barne, J.H., Robson, C.F., Kaznowska, S.S., Doody, J.P., Davidson, N.C. & Buck, A.J. (Eds.), *Coasts and Seas of the United Kingdom. Region 8 Sussex: Rye Bay to Chichester Harbour*. Joint Nature Conservation Committee, Peterborough, pp. 44–46.
 95. Barnes, R.S.K. & Bamber, R.N. (1998) Chapter 3.4, Coastal Lagoons. In: Barne, J.H., Robson, C.F., Kaznowska, S.S., Doody, J.P., Davidson, N.C. & Buck, A.L. (Eds.), *Coasts and Seas of the United Kingdom. Region 2 Orkney*. Joint Nature Conservation Committee, Peterborough, pp. 48–49.
 96. Jenner, H.A., Whitehouse, J.W., Taylor, C.J.L., Khalanski, M., Mattice J., l’Abeé-Lund, J.H., Ambrogi, R., Bamber, R.N., Coughlan, J., Duvivier, L., Humphris, T.H., Moreteau, J.-C., Bachmann, V., Rajagopal, S., Turnpenny, A.W.H. & van der Velde, G. (1998) Cooling water management in European power stations. Biology and control of fouling. *Hydroécologie Appliquée*, 10 (1–2), i–v & 1–225.
 97. Bamber, R.N. (1999) Tanaidaceans (Crustacea, Peracarida) from the southeast of the South China Sea. *Asian Marine Biology*, 15, 169–197.
 98. Bamber, R.N. (2000a) Kinorhyncha. In: Foster-Smith, J. (Ed), *The Marine Fauna and Flora of the Cullercoats District. Marine species records for the North East coast of England, Volume 1*. University of Newcastle upon Tyne (Penshaw Press), Newcastle upon Tyne, pp. 67–70.
 99. Bamber, R.N. (2000b) Foreword to the Arthropoda. In: Foster-Smith, J. (Ed), *The Marine Fauna and Flora of the Cullercoats District. Marine species records for the North East coast of England, Volume 1*. University of Newcastle upon Tyne (Penshaw Press), Newcastle upon Tyne, pp. 181–182.
 100. Bamber, R.N. (2000c) Pycnogonida. In: Foster-Smith, J. (Ed.), *The Marine Fauna and Flora of the Cullercoats District. Marine species records for the North East coast of England, Volume 1*. University of Newcastle upon Tyne (Penshaw Press), Newcastle upon Tyne, pp. 183–190.
 101. Bamber, R.N. (2000d) Acari. In: Foster-Smith, J. (Ed.), *The Marine Fauna and Flora of the Cullercoats District. Marine species records for the North East coast of England, Volume 1*. University of Newcastle upon Tyne (Penshaw Press), Newcastle upon Tyne, pp. 191–203.
 102. Bamber, R.N. (2000e) Ostracoda. In: Foster-Smith, J. (Ed), *The Marine Fauna and Flora of the Cullercoats District. Marine species records for the North East coast of England, Volume 1*. University of Newcastle upon Tyne (Penshaw Press), Newcastle upon Tyne, pp. 283–315.
 103. Bamber, R.N. (2000f) Mysidacea. In: Foster-Smith, J. (Ed), *The Marine Fauna and Flora of the Cullercoats District. Marine species records for the North East coast of England, Volume 1*. University of Newcastle upon Tyne (Penshaw Press), Newcastle upon Tyne, pp. 317–324.
 104. Bamber, R.N. (2000g) Tanaidacea. In: Foster-Smith, J. (Ed), *The Marine Fauna and Flora of the Cullercoats District. Marine species records for the North East coast of England, Volume 1*. University of Newcastle upon Tyne (Penshaw Press), Newcastle upon Tyne, pp. 391–396.
 105. Bamber, R.N. (2000h) A new species of *Heteromysis* (Crustacea: Mysidacea) from a ‘blue hole’ in the Bahamas. *Species Diversity*, 5 (2), 129–134.
 106. Bamber, R.N. (2000i) Marine Nature Conservation Review. Sector 14: Lagoons in the Outer Hebrides: Area Summaries. By Thorpe, K., Dalkin, M.J., Fortune, F. & Nichols, D.M. Joint Nature Conservation Committee, Peterborough. 1998. ISBN 1 86107 454 9. (Review). *Aquatic Conservation: Marine and Freshwater Ecosystems*, 10, 151–152.

107. Bamber, R.N. (2000j) Pycnogonida: Pycnogonids from French cruises to New Caledonia, Fiji, Tahiti and the Marquesas. New records and new species. In: Crosnier, A. (Ed.), *Résultats des campagnes MUSORSTOM*, Vol. 21. *Mémoires du Muséum National d'Histoire Naturelle, Paris*, 184, 611–625.
108. Bamber, R.N. (2000k) New peracarids (Crustacea, Malacostraca) from the Atlantic deep sea off Angola. *Species Diversity*, 5, 317–328.
109. Bamber, R.N. (2000l) Additions to the apseudomorph tanaidaceans (Crustacea: Peracarida) of Hong Kong. In: Morton, B. (Ed.), *The Marine Flora and Fauna of Hong Kong and Southern China V. Proceedings of the Tenth International Marine Biological Workshop: The Marine Flora and Fauna of Hong Kong and Southern China*, Hong Kong, 6–26 April 1998. Hong Kong University Press, Hong Kong, pp. 37–52.
110. Bamber, R.N. (2000m) A new species of *Colanthura* (Crustacea: Peracarida: Isopoda: Anthuridea) from Hong Kong. In: Morton, B. (Ed.), *The Marine Flora and Fauna of Hong Kong and Southern China V. Proceedings of the Tenth International Marine Biological Workshop: The Marine Flora and Fauna of Hong Kong and Southern China*, Hong Kong, 6–26 April 1998. Hong Kong University Press, Hong Kong, pp. 53–56.
111. Bamber, R.N. (2000n) Mysids (Crustacea: Mysidacea) from Hong Kong, with a description of a new species of *Heteromysis* (Mysinae: Heteromysini). In: Morton, B. (Ed.) *The Marine Flora and Fauna of Hong Kong and Southern China V. Proceedings of the Tenth International Marine Biological Workshop: The Marine Flora and Fauna of Hong Kong and Southern China*, Hong Kong, 6–26 April 1998. Hong Kong University Press, Hong Kong, pp. 57–64.
112. Bird, G.J. & Bamber, R.N. (2000) Additions to the tanaidomorph Tanaidacea (Crustacea: Peracarida) of Hong Kong. In: Morton, B. (Ed.), *The Marine Flora and Fauna of Hong Kong and Southern China V. Proceedings of the Tenth International Marine Biological Workshop: The Marine Flora and Fauna of Hong Kong and Southern China*, Hong Kong, 6–26 April 1998. Hong Kong University Press, Hong Kong, pp. 65–104.
113. Evans, F. & Bamber, R.N. (2000) Branchiopoda In: Foster-Smith, J. (Ed), *The Marine Fauna and Flora of the Cullercoats District. Marine species records for the North East coast of England, Volume 1*. University of Newcastle upon Tyne (Penshaw Press), Newcastle upon Tyne, pp. 205–208.
114. Knight-Jones, E.W. & Bamber, R.N. (2000) Hirudinea. In: Foster-Smith, J. (Ed), *The Marine Fauna and Flora of the Cullercoats District. Marine species records for the North East coast of England, Volume 1*. University of Newcastle upon Tyne (Penshaw Press), Newcastle upon Tyne, pp. 177–180.
115. Bamber, R.N. (2001) A new species of *Rhopalorhynchus* Wood-mason, 1873 (Arthropoda, Pycnogonida) from the Semporna Islands, Sabah. *Species Diversity*, 6, 179–183.
116. Bamber, R.N., Gilliland, P.M. & Shardlow, M.E.A. (2001) *Saline lagoons: a guide to their management and creation (interim version)*. English Nature, Peterborough, 95 pp. [appendices]
117. Bamber, R.N., Mitchell, N.J. & Ferrero, T.J. (2001) Rediscovery of *Nymphon gerlachei* Giltay, 1935 (Arthropoda, Pycnogonida). *Antarctic Science*, 13 (3), 237–239.
<http://dx.doi.org/10.1017/s0954102001000347>
118. Bamber, R.N. (2002a) Morphological variation in and a redescription of *Pallenopsis (Bathypallenopsis) tritonis* Hoek, 1883 (Arthropoda: Pycnogonida). *Journal of Natural History*, 36, 157–172.
<http://dx.doi.org/10.1080/00222930010002766>
119. Bamber, R.N. (2002b) Bathypelagic pycnogonids (Arthropoda, Pycnogonida) from the Discovery deep-sea cruises. *Journal of Natural History*, 36, 715–727.
<http://dx.doi.org/10.1080/00222930010025932>
120. Bamber, R.N. & Taylor, J. (2002) The brackish water mussel *Mytilopsis leucophaeta* (Conrad, 1831) (Bivalvia: Dreissenidae) in the River Thames. *Journal of Conchology*, 37, 403–404.
121. Bamber, R.N., Ariyananda, T. & Silva, E.I.L. (2002) The male of *Halmyrapseudes srilankaensis* (Băcescu, 1981) comb. nov., and an analysis of the genus *Halmyrapseudes* Băcescu and Guțu, 1974 (Peracarida, Tanaidacea). *Journal of Crustacean Biology*, 22 (2), 287–297.
[http://dx.doi.org/10.1651/0278-0372\(2002\)022\[0287:TMOHSB\]2.0.CO;2](http://dx.doi.org/10.1651/0278-0372(2002)022[0287:TMOHSB]2.0.CO;2)
122. Hansknecht, T., Heard, R.W. & Bamber, R.N. (2002) *Tanapseudes gutui*, a new species of apseudomorphan Tanaidacea (Crustacea: Peracarida) from the Caribbean Sea and the present taxonomic status of the family Tanapseudidae Băcescu, 1978. *Gulf & Caribbean Research*, 14, 67–74.
123. Bamber, R.N. (2003a) New species of Amphipoda from Hong Kong shores. In: Morton, B. (Ed.), *Perspectives on Marine Environmental Change in Hong Kong and Southern China, 1977–2001. Proceedings of the International Workshop Reunion Conference, Hong Kong, 21–26 October 2001*. Hong Kong University Press, Hong Kong, pp. 195–207.
124. Bamber, R.N. (2003b) A new species of *Hemikalliapseudes* (Crustacea: Peracarida: Tanaidacea) from the continental slope off Angola. *Species Diversity*, 8, 227–236.
125. Bamber, R.N. & Shearer, M. (2003) A reinterpretation of the taxonomy and zoogeography of *Pakistanapseudes* and *Swireapseudes* (Crustacea: Tanaidacea): Hong Kong taxa in the world context. In: Morton, B. (Ed.), *Perspectives on Marine Environmental Change in Hong Kong and Southern China, 1977–2001. Proceedings of the International Workshop Reunion Conference, Hong Kong, 21–26 October 2001*. Hong Kong University Press, Hong Kong, pp. 167–194.
126. Bamber, R.N., Bird, G.J. & Angsupanich, S. (2003) Tanaidacea (Crustacea, Peracarida) from Thailand: new records and new species. *Asian Marine Biology*, 18, 35–69.

127. Bamber, R.N. (2004a) Pycnogonids (Arthropoda: Pycnogonida) from Taiwan, with description of three new species. *Zootaxa*, 458, 1–12.
128. Bamber, R.N. (2004b) Pycnogonids (Arthropoda: Pycnogonida) from New Caledonia, Fiji and Tonga: new records and new species. In: Marshall, B. & Richer de Forges, B. (Eds.), *Tropical Deep Sea Benthos, Volume 23. Mémoires du Muséum National d'Histoire Naturelle, Paris*, 191, 73–83.
129. Bamber, R.N. (2004c) Pycnogonids (Arthropoda: Pycnogonida) from French Cruises to Melanesia. *Zootaxa*, 551, 1–27.
130. Bamber, R.N. (2004d) Two new pycnogonids (Arthropoda: Pycnogonida) from Atlantic Equatorial Africa. *Species Diversity*, 9 (2), 125–133.
131. Bamber, R.N. & Clark, P.F. (2004) A new species of *Lophogaster* (Crustacea, Mysidacea, Lophogastrida) from the equatorial eastern Atlantic. *Zoosystema*, 26 (3), 419–423.
132. Bamber, R.N. & Seaby, R.M.H. (2004) The effects of power station entrainment passage on three species of marine planktonic crustacean, *Acartia tonsa* (Copepoda), *Crangon crangon* (Decapoda) and *Homarus gammarus* (Decapoda). *Marine Environmental Research*, 57, 281–294.
<http://dx.doi.org/10.1016/j.marenvres.2003.08.002>
133. Bamber, R.N. (2005a) The effects of warmer temperatures on the amphipod *Bathyporeia sarsi* Watkin, 1938 (Pontoporeiidae). *Acta Zoologica Sinica*, 51(5), 821–829.
134. Bamber, R.N. (2005b) Pycnogonids (Arthropoda: Pycnogonida) from the Recherche Archipelago, Esperance, Western Australia, Australia. In: Wells, F.E., Walker, D.I. & Kendrick, G.A. (Eds.), *Proceedings of the Twelfth International Marine Biological Workshop: The Marine Flora and Fauna of Esperance, Western Australia*. Western Australian Museum, Perth, pp. 325–343.
135. Bamber, R.N. (2005c) The Tanaidaceans (Arthropoda: Crustacea: Peracarida: Tanaidacea) of Esperance, Western Australia, Australia. In: Wells, F.E., Walker, D.I. & Kendrick, G.A. (Eds.), *Proceedings of the Twelfth International Marine Biological Workshop: The Marine Flora and Fauna of Esperance, Western Australia*. Western Australian Museum, Perth, pp. 613–728.
136. Bamber, R.N. & Shearer, M. (2005) Apseudomorph Tanaidacea (Crustacea: Malacostraca: Peracarida) from shallow waters off Sabah, Malaysia. *Systematics and Biodiversity*, 2, 281–303.
<http://dx.doi.org/10.1017/S1477200004001495>
137. Bamber, R.N. & Takahashi, Y. (2005) Some littoral sea spiders (Arthropoda: Pycnogonida) from Ecuador, with a new species of *Anoplodactylus* Wilson, 1878 (Phoxichilidiidae). *Zootaxa*, 815, 1–8.
138. Bamber, R.N. (2006a) Shallow water tanaidaceans (Crustacea: Peracarida: Tanaidacea) from New Caledonia and the Loyalty Islands. *Zootaxa*, 1108, 1–21.
139. Bamber, R.N. (2006b) Pycnogonida. In: Desbryères, D., Segonzac, M. & Bright, M. (Eds.), *Handbook of Deep-Sea Hydrothermal Vent Fauna. Denisia*, 18, 301–306.
140. Bamber, R.N. & Boxshall, G.A. (2006) A new genus and species of the Langitaninae (Crustacea: Peracarida: Tanaidacea: Tanaidae) bearing a new genus and species of nicothoid parasite (Crustacea: Copepoda: Siphonostomatoida: Nicothoidae) from the New Caledonia slope. *Species Diversity*, 11, 137–148.
141. Ferrero T.J., Barnes, N., Arroyo, N.L., Bennell, G., Cornelius, N., Huys, R.N., Lee, C.W., Mustapha, M., Olaffsson, E., Sebastian, S. & Bamber, R.N. (2006) *The Meiofauna of Kuwait. A summary of the intertidal and subtidal surveys undertaken by RSK ENSR and the Natural History Museum between 2002 and 2004*. RSK ENSR Group Publication.
142. Jaume, D., Boxshall, G.A. & Bamber, R.N. (2006) A new genus from the continental slope off Brazil and the discovery of the first males in the Hirsutiidae (Crustacea: Peracarida: Bochusacea). *Zoological Journal of the Linnean Society*, 148, 169–208.
<http://dx.doi.org/10.1111/j.1096-3642.2006.00235.x>
143. Bamber, R.N. (2007a) New apseudomorph tanaidaceans (Crustacea: Peracarida: Tanaidacea) from the bathyal slope off New Caledonia. *Zoosystema*, 29 (1), 51–81.
144. Bamber, R.N. (2007b) Suborders Apseudomorpha Sieg, 1980 and Neotanaidomorpha Sieg, 1980. In: Larsen, K. & Shimomura, M. (Eds.), Tanaidacea (Crustacea: Peracarida) from Japan III. The Kurile-Kamchatka Trench. *Zootaxa*, 1599, 13–40.
145. Bamber, R.N. (2007c) A holistic re-interpretation of the phylogeny of the Pycnogonida Latreille, 1810 (Arthropoda). *Zootaxa*, 1668, 295–312.
146. Bamber, R.N. (2007d) Pycnogonida of New Caledonia. In: Payri, C.E. & Richer de Forges, B. (Eds.), *Compendium of Marine Species of New Caledonia. Documents Scientifiques et Techniques, Vol. 117*. IRD Nouméa. Nouméa, pp. 255–257.
147. Bamber, R.N. & Steffani, C.N. (2007) A new species of *Queubus* Barnard, 1946 (Arthropoda: Pycnogonida) from Namibia. *Zootaxa*, 1531, 57–61.
148. Błażewicz-Paszkowycz, M. & Bamber, R.N. (2007a) Parapseudid Tanaidaceans (Crustacea: Tanaidacea: Apseudomorpha) from Eastern Australia. *Zootaxa*, 1401, 1–32.
149. Błażewicz-Paszkowycz, M. & Bamber, R.N. (2007b) New Apseudomorph Tanaidaceans (Crustacea: Peracarida: Tanaidacea) from eastern Australia: Apseudidae, Whiteleggiidae, Metapseudidae and Pagurapseudidae. *Memoirs of Museum Victoria*, 64, 107–148.
150. Hall-Spencer, J. & Bamber, R. (2007) Effects of salmon farming on benthic Crustacea. *Ciencias Marinas*, 33 (4), 353–366.

151. Bamber, R.N. (2008a) A new species of *Pycnogonum* (Arthropoda: Pycnogonida: Pycnogonidae) from Hong Kong. *Journal of Natural History*, 42 (9–12), 815–819.
<http://dx.doi.org/10.1080/00222930701850463>
152. Bamber, R.N. (2008b) New species of anthurid and arcturid isopod (Crustacea: Peracarida: Isopoda) from Hong Kong. *Journal of Natural History*, 42 (9–12), 855–876.
<http://dx.doi.org/10.1080/00222930701850489>
153. Bamber, R.N. (2008c) A new species of *Apseudes* (Tanaidacea: Apseudomorpha: Apseudidae) from Hong Kong, with observations on *Gollumides mortoni* (Bamber, 2001). *Journal of Natural History*, 42 (9–12), 877–884.
<http://dx.doi.org/10.1080/00222930701850505>
154. Bamber, R.N. (2008d) Sea-spiders (Arthropoda: Pycnogonida) from Moreton Bay, Queensland. In: Davie, P.J.F. & Phillips, J.A. (Eds.), *Proceedings of the Thirteenth International Marine Biological Workshop, The Marine Fauna and Flora of Moreton Bay, Queensland. Memoirs of the Queensland Museum – Nature*, 54 (1), 131–142.
155. Bamber, R.N. (2008e) Tanaidaceans (Crustacea: Peracarida: Tanaidacea) from Moreton Bay, Queensland, Australia. In: Davie, P.J.F. & Phillips, J.A. (Eds.), *Proceedings of the Thirteenth International Marine Biological Workshop, The Marine Fauna and Flora of Moreton Bay, Queensland. Memoirs of the Queensland Museum – Nature* 54 (1), 143–217.
156. Bamber, R.N. (2008f) A new species of the freshwater tanaidacean genus *Pseudohalmyrapseudes* (Crustacea: Tanaidacea: Parapseudidae) from Sulawesi. *Records of the Western Australia Museum*, 24, 421–428.
157. Bamber, R.N., Evans, N.J. & Robbins, R.S. (2008) The marine soft-sediment benthic communities of Hong Kong: a comparison of submarine cave and open habitats. *Journal of Natural History*, 42 (9–12), 953–965.
<http://dx.doi.org/10.1080/00222930701850604>
158. Bamber, R.N., Morton, B.S. & Robbins, R.S. (Eds.), (2008) The joint Swire Institute of Marine Science, Hong Kong, and Natural History Museum, London, Hong Kong Submarine Caves Expedition 2002. *Journal of Natural History*, 42 (9–12), 721–977.
159. Barnes, N., Bamber, R.N., Moncrieff, C.B., Shearer, M. & Ferrero, T.J. (2008) Meiofauna in closed saline lagoons in the United Kingdom: structure and biodiversity of the nematode assemblage. *Estuarine, Coastal and Shelf Science*, 79, 328–340.
<http://dx.doi.org/10.1016/j.ecss.2008.03.017>
160. Morton, B. & Bamber, R.N. (2008) The joint Swire Institute of Marine Science, Hong Kong and Natural History Museum, London, Hong Kong Submarine Caves Expedition, 2002: discussion, conclusions and recommendations for conservation. *Journal of Natural History*, 42 (9–12), 971–977.
<http://dx.doi.org/10.1080/00222930701850380>
161. Morton, B., Bamber, R.N. & Robbins, R.S. (2008) The joint Swire Institute of Marine Science, Hong Kong, and Natural History Museum, London, Hong Kong Submarine Caves Expedition 2002: introduction. *Journal of Natural History*, 42 (9–12), 721–728.
<http://dx.doi.org/10.1080/00222930701848293>
162. Muir, A.I. & Bamber, R.N. (2008) New polychaete (Annelida) records from Hong Kong: the families Polynoidae, Sigalionidae, Chrysopetalidae, Pilargidae, Nereididae, Opheliidae, Ampharetidae and Terebellidae. *Journal of Natural History*, 42 (9–12), 797–814.
<http://dx.doi.org/10.1080/00222930701850455>
163. Bamber, R.N. (2009a) Chapter 25. Sea-spiders. In: Werhtmann, I.S. & Cortés, J. (Eds.), *The Marine Biodiversity of Costa Rica, Central America. PART IV Taxonomic groups. Monographiae Biologicae*, 86, 307–311.
164. Bamber, R.N. (2009b) Two new species of *Sericosura* Fry & Hedgpeth, 1969 (Pycnogonida: Ammotheidae), and a reassessment of the genus. *Zootaxa*, 2140, 56–68.
165. Bamber, R.N. (2009c) Two new species of shell-inhabiting tanaidacean (Crustacea, Peracarida, Tanaidacea, Pagurapseudidae, Pagurapseudinae) from the shallow sublittoral off Vanuatu. *Zoosystema*, 31 (3), 407–418.
166. Bamber, R.N. & Costa, A.C. (2009a) The pycnogonids (Arthropoda: Pycnogonida) of São Miguel, Azores, with description of a new species of *Anoplodactylus* Wilson, 1878 (Phoxichilidiidae). *Proceedings of the Third International Workshop of Malacology and Marine Biology, São Miguel, Açores, Portugal. Açoreana*, Supplement 6, 167–182.
167. Bamber, R.N. & Costa, A.C. (2009b) The tanaidaceans (Arthropoda: Peracarida: Tanaidacea) of São Miguel, Azores, with description of two new species, and a new record from Tenerife. *Proceedings of the Third International Workshop of Malacology and Marine Biology, São Miguel, Açores, Portugal. Açoreana*, Supplement 6, 183–200.
168. Bamber, R.N. & Robbins, R.S. (2009) The soft-sediment infauna off São Miguel, Azores, and a comparison with other Azorean marine invertebrate communities. *Proceedings of the Third International Workshop of Malacology and Marine Biology, São Miguel, Açores, Portugal. Açoreana*, Supplement 6, 201–210.
169. Bamber, R.N., Bird G.J., Błażewicz-Paszkowycz, M. & Galil B. (2009) Tanaidaceans (Crustacea: Malacostraca: Peracarida) from soft-sediment habitats off Israel, Eastern Mediterranean. *Zootaxa*, 2109, 1–44.
170. Błażewicz-Paszkowycz, M. & Bamber, R.N. (2009) A new genus of a new Austral family of paratananoid tanaidacean (Crustacea: Peracarida: Tanaidacea), with two new species. *Memoirs of Museum Victoria*, 66, 5–15.
171. Bamber, R.N. (2010) *Sea-spiders (Pycnogonida) of the north-east Atlantic: keys and notes for the identification of the species*. Synopses of the British Fauna, New Series, no.5. Linnean Society of London by Field Studies Council, Shrewsbury, 250 pp.

172. Bamber, R.N. (2010) In the footsteps of Henrik Nikolaj Krøyer: the rediscovery and redescription of *Leptochelia savignyi* (Krøyer, 1842) *sensu stricto* (Crustacea: Tanaidacea: Leptocheiliidae). *Proceedings of the Biological Society of Washington*, 123 (4), 289–311.
<http://dx.doi.org/10.2988/10-14.1>
173. Bamber, R.N. & Chatterjee, T. (2010) The new and the old: littoral tanaidomorph Tanaidacea (Crustacea: Peracarida) from the Andaman Islands, Indian Ocean. *Zootaxa*, 2558, 17–32.
174. Costa, A.C. & Bamber, R.N. (2010a) Chapter 14. List of Coastal marine Invertebrates. Arthropoda (Pycnogonida). In: Borges, A.V.P., Costa, A.C., Cunha, R., Gabriel, R., Gonçalves, V., Martins, A.F., Melo, I., Parente, M., Raposeiro, P., Rodrigues, P., Santos, R.S., Silva, L., Vieira, P. & Vieira, V. (Eds.), *A List of the Terrestrial and Marine Biota from the Azores*. Princípia, Cascais, Portugal, pp. 304–305
175. Costa, A.C. & Bamber, R.N. (2010b) Chapter 14. List of Coastal marine Invertebrates. Arthropoda (Tanaidacea). In: Borges, A.V.P., Costa, A.C., Cunha, M.R., Gabriel, R., Gonçalves, V., Martins, A.F., Melo, I., Parente, M., Raposeiro, P., Rodrigues, P., Santos, R.S., Silva, L., Vieira, P. & Vieira, V. (Eds.), *A List of the Terrestrial and Marine Biota from the Azores*. Princípia, Cascais, Portugal, pp. 1–308.
176. Lörz, A.-N. & Bamber, R.N. (2010) Peracarid crustacean assemblages of benthic soft sediments around Moreton Island, Queensland. In: Davie, P.J.F. & Phillips, J.A. (Eds.), *Proceedings of the Thirteenth International Marine Biological Workshop, The Marine Fauna and Flora of Moreton Bay, Queensland. Memoirs of the Queensland Museum – Nature*, 54 (3), pp. 385–399.
177. Purvis, O.W., Tittley, I., Chimonides, P.D.J., Bamber, R.N., Hayes, P.A., James, P.W., Rumsey, F.J. & Read, H. (2010) 20 years investigating lichen and bryophyte biodiversity under global environmental change. *Systematics and Biodiversity*, 8, 193–206.
<http://dx.doi.org/10.1080/14772001003782088>
178. Bamber, R.N. (2011a) The male of *Ascorhynchus constrictus* Stock, 1997 (Arthropoda: Pycnogonida) with further new records of deep-sea pycnogonids from New Caledonia, the Solomon Islands and Vanuatu. *Zootaxa*, 2787, 55–67.
179. Bamber, R.N. (2011b) The sea-spiders (Arthropoda: Pycnogonida) of Admiralty Bay, King George Island. *Polish Polar Research*, 32, (1), 27–38.
<http://dx.doi.org/10.2478/v10183-011-0001-0>
180. Bamber, R.N. (2011c) The marine fauna and flora of the Isles of Scilly. Tanaidacea (Crustacea: Peracarida). *Journal of Natural History*, 45, 1801–1815.
<http://dx.doi.org/10.1080/00222933.2011.560968>
181. Bamber, R.N. (2011d) Class Pycnogonida Latreille, 1810. In: Zhang, Z.-Q. (Ed.), Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness. *Zootaxa*, 3148, 110–111.
182. Błażewicz-Paszkowycz, M. & Bamber, R.N. (2011) Tanaidomorph Tanaidacea (Crustacea: Peracarida) from Mud-Volcano and Seep Sites on the Norwegian Margin. *Zootaxa*, 3061, 1–35.
183. Błażewicz-Paszkowycz, M., Bamber, R.N. & Cunha, M. (2011a) New tanaidomorph Tanaidacea (Crustacea: Peracarida) from submarine mud-volcanoes in the Gulf of Cadiz (North-east Atlantic). *Zootaxa*, 2769, 1–53.
184. Błażewicz-Paszkowycz, M., Bamber, R.N. & Cunha, M.R. (2011b) Apseudomorph tanaidaceans (Crustacea: Peracarida) from mud-volcanoes in the Gulf of Cadiz (North-east Atlantic). *Zootaxa*, 2919, 1–36.
185. Błażewicz-Paszkowycz, M., Heard, R.W. & Bamber, R.N. (2011) A new species of shallow-water metapseudid (Crustacea: Malacostraca: Peracarida: Tanaidacea) from Bermuda (Caribbean). *Bulletin of the Peabody Museum of Natural History*, 52 (2), 127–134.
<http://dx.doi.org/10.3374/014.052.0103>
186. Lee, C.N.W. & Bamber, R.N. (2011) A new species of *Nebalia* (Crustacea: Phyllocarida: Leptostraca) from the Cape d’Aguilar Marine Reserve, Hong Kong. *Zootaxa*, 3091, 51–59.
187. Ahyong, S.T., Lowry, J.K., Alonso, M., Bamber, R.N., Boxshall, G.B., Castro, P., Gerken, S., Karaman, G.S., Goy, J.W., Jones, D.S., Meland, K., D. Rogers, D.C. & Svavarsson, J. (2011) Subphylum Crustacea Brünnich, 1772. In: Zhang, Z.-Q. (Ed.), *Animal biodiversity: An outline of higher-level classification and survey of taxonomic richness*. *Zootaxa*, 3148, 165–191.
188. Barnes, N., Bamber, R.N., Bennell, G., Cornelius, N., Glassom, D., Conroy-Dalton, S., Jiddawi, N., Lee, C.N.W., Macia, A., Msangameno, D.J., Paula, J., Yahya, S. & Ferrero, T.J. (2011) Assessment of regional and local biodiversity in tropical and subtropical coastal habitats in the East African Marine Ecoregion. *Biodiversity and Conservation*, 20, 2075–2109.
<http://dx.doi.org/10.1007/s10531-011-0076-2>
189. Bamber, R.N. (2012a) Littoral Tanaidacea (Crustacea: Peracarida) from Macaronesia: allopatry and provenance in recent habitats. *Journal of the Marine Biological Association of the United Kingdom*, 92, 1095–1116.
<http://dx.doi.org/10.1017/S0025315412000252>
190. Bamber, R.N. (2012b) Anthropogenic spread of the immigrant sea-spider *Ammothea hilgendorfii* (Böhm, 1879) (Arthropoda: Pycnogonida: Ammotheidae) in UK waters. *Marine Biodiversity Records*, 5; e78 [5 pp].
<http://dx.doi.org/10.1017/S1755267212000668>
191. Bamber, R.N. (2012c) A re-assessment of *Hexapleomera* Dudich, 1931 (Crustacea: Tanaidacea: Tanaidae) with designation of three new species. *Zootaxa*, 3583, 51–70.
192. Bamber, R.N. & Morton, B. (2012) A new and commercial species of *Gastrosaccus* Norman, 1868 (Peracarida: Mysida:

- Mysidae) from Java, Indonesia. *Zootaxa*, 3546, 43–52.
193. Bamber, R.N. & Turnpenny, A.W.H. (2012) Entrainment of organisms through power station cooling water systems. Chapter 15. In: Rajagopal, S., Jenner, H.A. & Venugopalan, V.P. (Eds.), *Operational and Environmental Consequences of Large Industrial Cooling Water Systems*. Springer Science & Business Media, Inc., Norwell, Ma. USA, pp. 330–352.
http://dx.doi.org/10.1007/978-1-4614-1698-2_15
194. Bamber, R.N., Chatterjee, T. & Marshall, D.J. (2012) Inshore apseudomorph tanaidaceans (Crustacea: Peracarida) from Brunei: new records and new species. *Zootaxa*, 3520, 71–88.
195. Błażewicz-Paszkowycz, M. & Bamber, R.N. (2012) The shallow-water Tanaidacea (Arthropoda: Malacostraca: Peracarida) of the Bass Strait, Victoria, Australia (other than the Tanaidae). *Memoirs of Museum Victoria*, 69, 1–235.
196. Błażewicz-Paszkowycz, M., Bamber, R. & Anderson, G. (2012) Diversity of Tanaidacea (Crustacea: Peracarida) in the World's Oceans – How Far Have We Come? *PLoS ONE* 7(4), e33068, 1–11.
<http://dx.doi.org/10.1371/journal.pone.0033068>
197. Błażewicz-Paszkowycz, M., Bamber, R.N. & Jóźwiak, P. (2012) Tanaidaceans (Crustacea: Peracarida) from the SoJaBio joint expedition in slope and deeper waters of Japan. *Deep Sea Research II*, 86–87, 181–213.
<http://dx.doi.org/10.1016/j.dsri.2012.08.006>
198. Brandt, A., Błażewicz-Paszkowycz, M., Bamber, R., Mühlhardt-Siegel, U., Malyutina, M., Kaiser, S., De Broyer, C. & Havermans, C. (2012) Are there widespread peracarid species in the deep sea (Crustacea, Malacostraca)? *Polish Polar Research*, 33, 139–162.
<http://dx.doi.org/10.2478/v10183-012-0012-5>
199. Esquete, P., Bamber, R.N. & Aldea, C. (2012) On some shallow water Tanaidomorpha (Crustacea: Peracarida: Tanaidacea) of Chilean fjords, with description of a new species of *Zeuxoides* Sieg, 1980. *Zootaxa*, 3257, 38–55.
200. Esquete, P., Bamber, R.N., Moreira, J. & Troncoso, J.S. (2012a) Redescription and postmarsupial development of *Apseudopsis latreillii* (Milne-Edwards, 1828) (Crustacea: Tanaidacea). *Journal of the Marine Biological Association of the United Kingdom*, 92, 1023–1041.
<http://dx.doi.org/10.1017/S0025315411002086>
201. Esquete, P., Bamber, R.N., Moreira, J. & Troncoso, J.S. (2012b) *Apseudopsis adami*, a new species of tanaidacean (Crustacea: Peracarida) from the NW Iberian Peninsula. Postmarsupial development and remarks on morphological characters. *Helgoland Marine Research*, 66, 601–619.
<http://dx.doi.org/10.1007/s10152-012-0295-2>
202. Wither, A., Bamber, R., Colclough, S., Dyer, K., Elliott, M., Holmes, P., Jenner, H., Turnpenny, A. (2012) Setting new thermal standards for transitional and coastal (TraC) waters. *Marine Pollution Bulletin*, 64, 1564–1579.
<http://dx.doi.org/10.1016/j.marpolbul.2012.05.019>
203. Appeltans, W., Ahyong, S.T., Anderson, G., Angel, M.V., Artois, T., Bailly, N., Bamber, R., Barber, A., Bartsch, I., Berta, A., Błażewicz-Paszkowycz, M., Bock, P., Boxshall, G., Boyko, C.B., Brandão, S.N., Bray, R.A., Bruce, N.L., Cairns, S.D., Chan, T.-Y., Chan, L., Collins, A.G., Cribb, T., Curini-Galletti, M., Dahdouh-Guebas, F., Davie, P.J.F., Dawson, M.N., De Clerck, O., Decock, W., De Grave, S., de Voogd, N.J., Domning, D.P., Emig, C.C., Erséus, C., Eschmeyer, W., Fauchald, K., Fautin, D.G., Feist, S.W., Fransen, C.H.J.M., Furuya, H., Garcia-Alvarez, O., Gerken, S., Gibson, D., Gittenberger, A., Gofas, S., Gómez-Daglio, L., Gordon, D.P., Guiy, M.D., Hernandez, F., Hoeksema, B.W., Hopcroft, R., Jaume, D., Kirk, P., Koedam, N., Koenemann, S., Kolb, J.B., Kristensen, R.M., Kroh, A., Lambert, G., Lazarus, D.B., Lemaitre, R., Longshaw, M., Lowry, J., Macpherson, E., Madin, L.P., Mah, C., Mapstone, G., McLaughlin, P., Mees, J., Meland, K., Messing, C.G., Mills, C.E., Molodtsova, T.N., Mooi, R., Neuhaus, B., Ng P., K.L., Nielsen, C., Norenburg, J., Opresko, D.M., Osawa, M., Paulay, G., Perrin, W., Pilger, J.F., Poore, G.C.B., Pugh, P., Read, G.B., Reimer, J.D., Rius, M., Rocha, R.M., Saiz-Salinas, J.I., Scarabino, V., Schierwater, B., Schmidt-Rhaesa, A., Schnabel, K.E., Schotte, M., Schuchert, P., Schwabe, E., Segers, H., Self-Sullivan, C., Shenkar, N., Siegel, V., Sterrer, W., Stöhr, S., Swalla, B., Tasker, M.L., Thuesen, E.V., Timm, T., Todaro, A., Turon, X., Tyler, S., Uetz, P., van der Land, J., Vanhoorne, B., van Ofwegen, L.P., van Soest, R.W.M., Vanaverbeke, J., Walker-Smith, G., Walter, T.C., Warren, A., Williams, G., Wilson, S.P., Costello, M.J. (2012) The magnitude of global marine biodiversity. *Current Biology*, 22 (23), 2189–2202.
<http://dx.doi.org/10.1016/j.cub.2012.09.036>
204. Bamber, R.N. (2013a) Deep-water Pycnogonida from recent cruises to Papua New Guinea and Melanesia, with an appendix of new records from Polynesia and descriptions of five new species. *Zoosystema*, 35 (2), 195–214.
<http://dx.doi.org/10.5252/z2013n2a5>
205. Bamber, R.N. (2013b) A re-assessment of *Konarus* Bamber, 2006 and sympatric leptocheliids from Australasia, and of *Pseudoleptocheilia* Lang, 1973 (Crustacea: Peracarida: Tanaidacea). *Zootaxa*, 3694 (1), 1–39.
<http://dx.doi.org/10.11646/zootaxa.3694.1.1>
206. Bamber, R.N. (2013c) Tanaidaceans from Brunei, IV. The Families Kalliapseudidae, Pagurapseudopsidae, Parapseudidae and Apseudidae (Crustacea: Peracarida: Tanaidacea: Apseudomorpha), with descriptions of new genus and six new species. *Zootaxa*, 3734 (4), 401–441.
<http://dx.doi.org/10.11646/zootaxa.3734.4.1>
207. Bamber, R.N. & Błażewicz-Paszkowycz, M. (2013) Another inordinate fondness: diversity of the tanaidacean fauna of Australia. *Journal of Natural History*, 47 (25–28), 1767–1789.
<http://dx.doi.org/10.1080/00222933.2012.742164>

208. Bamber, R.N. & Marshall, D.J. (2013) Tanaidaceans from Brunei III. A new genus and two new species of shallow-water sphyrapodid (Crustacea: Peracarida: Tanaidacea) from the South China Sea. *Species Diversity*, 18, 255–267.
<http://dx.doi.org/10.12782/sd.18.2.255>
209. Bird, G.J. & Bamber, R.N. (2013) New littoral, shelf, and bathyal Paratanaidae (Crustacea: Peracarida: Tanaidacea) from New Zealand, with descriptions of three new genera. *Zootaxa*, 3676 (1), 1–71.
<http://dx.doi.org/10.11646/zootaxa.3676.1.1>
210. Drumm, D.T. & Bamber, R.N. (2013) A new species of *Fageapseudes* (Crustacea: Peracarida: Tanaidacea) from California, with comments on the systematics of the family Apseudidae. *Zootaxa*, 3701 (4), 437–446.
<http://dx.doi.org/10.11646/zootaxa.3701.4.3>
211. Esquete, P., Bamber, R.N., Moreira, J. & Troncoso, J.S. (2013) Pycnogonids (Arthropoda: Pycnogonida) in seagrass meadows: the case of O Grove Inlet (NW Iberian Peninsula). *Thalassas*, 29, 27–35.
212. Hossain, M.B. & Bamber, R.N. (2013) New record of a wood-boring isopod, *Sphaeroma terebrans* (Crustacea: Sphaeromatidae) from Sungai Brunei estuary, Brunei Darussalam. *Marine Biodiversity Records*, 6/2013, e18. [3 pp]
<http://dx.doi.org/10.1017/S17585267212001261>
213. Wang, J., Lin, R., Bamber, R.N. & Huang, D. (2013) Two new species of *Sericosura* Fry & Hedgpeth, 1969 (Arthropoda: Pycnogonida: Ammotheidae) from a hydrothermal vent on the East Pacific Rise. *Zootaxa*, 3669 (2), 165–171.
<http://dx.doi.org/10.11646/Zootaxa.3669.2.8>
214. Bamber, R.N. (2014a) A checklist of sea-spiders (Pycnogonida) from the Açores. *Açoreana Suplemento*, 10, 67–72.
215. Bamber, R.N. (2014b) Interstitial tanaidaceans (Crustacea: Peracarida) from São Miguel, Açores, with description of five new species. *Açoreana Suplemento*, 10, 17–56.
216. Bamber, R.N. (2014c) The Tanaidae (Crustacea: Peracarida: Tanaidacea) of São Miguel, Açores: *Tanais grimaldii* Dollfus, 1897, and Açorean “rediscoveries” of *Parasinelobus chevreuxi* (Dollfus, 1898) and *Tanais dulongii* (Audouin, 1826). *Açoreana Suplemento*, 10, 57–66.
217. Bamber, R.N. (2014d) An initial re-assessment of *Sinelobus* Sieg, 1980 (Crustacea: Tanaidacea: Tanaididae), with three new species and correction to the higher taxonomic nomenclature. *Journal of Natural History*.
<http://dx.doi.org/10.1080/00222933.2014.897767>
218. Bamber, R.N. & Marshall, D.J. (2015) Tanaidaceans from Brunei, V. The Leptocheliidae (Crustacea: Peracarida: Tanaidacea), with four new species. *Zootaxa*, 3948 (3), 342–360.
<http://dx.doi.org/10.11646/zootaxa.3948.3.2>

Web pages

Bamber, R.N. & El Nagar, A. (Eds.), (2007 et seq.) PycnoBase: World Pycnogonida Database. Available from: <http://www.marinespecies.org/pycnobase/> (accessed on 15 July 2015)